CONTENTS

On the molecular structures of the prevailing *anti* conformers of gaseous *cis*-1 and *trans*-1-chloro-1,3-butadiene
G. Gundersen and H.G. Thomassen (Oslo, Norway), J.E. Boggs and M.L. Collins (Austin, TX, U.S.A.) 1

Evidence for the presence of hydrogen-bonded ion–ion interactions in the molten salt precursor, 1-methyl-3-ethyl imidazolium chloride
C.J. Dymek (Colorado Springs, CO, U.S.A.), D.A. Grossie and A.V. Fratini (Dayton, OH, U.S.A.) and W.W. Adams, Jr. (Wright-Patterson Air Force Base, OH, U.S.A.) 25

Solid and liquid phase Raman and infrared spectra of diallyl sulfide and diallyl disulfide
M.T. Devlin, V.F. Kalasinsky and I.W. Levin (Bethseda, MD, U.S.A.) 35

Structure and vibrational spectra of $Na_5H_3(SeO_4)_4 \cdot 2H_2O$ crystal
J. Baran, T. Lis and P. Starynowicz (Wroclaw, Poland) 51

Surface-enhanced Raman spectroscopic study of hydrocinnamonitrile adsorbed on silver surface
H.A. Chun, M.S. Kim and K. Kim (Seoul, Korea) 63

Torsional frequency, barrier to internal rotation of 4-nitropyridine from microwave spectra
R. Mulas, S.R. González and J.L. Alonso (Valladolid, Spain) 77

Equilibrium between protonic species and conductivity mechanism in antimonic acid, $H_2Sb_4O_{11} \cdot nH_2O$
Ph. Colomban (Palaiseau, France), C. Doremieux-Morin (Paris, France), Y. Piffard (Nantes, France), M.H. Limage and A. Novak (Thiais, France) 83

Vibrational spectra and conformational analysis of chloromethylformate
F. Daeyaert and B.J. van der Veken (Antwerpen, Belgium) 97

Temperature dependent low resolution microwave spectra of *p*-fluorothioanisole
N.S. True (Davis, CA, U.S.A.) 117

Microwave spectrum and conformation of vinyl fluoroformate
N.S. True (Davis, CA, U.S.A.) 123

Spectra–structure correlations from the infrared spectra of some transition metal complexes of 8-hydroxyquinoline
C. Engelter, G.E. Jackson, C.L. Knight and D.A. Thornton (Rondebosch, South Africa) 133

Vibrational spectra and force constants for the molecular series $NH_{3-n}Cl_n$
W. Sawodny and H. Härtner (Ulm, F.R.G.), R. Minkwitz and D. Bernstein (Dortmund, F.R.G.) 145

Microwave spectrum and conformation of bicyclo[3,3,1]-nonan-9-one
Y.-S. Li and S. Li (Memphis, TN, U.S.A.) 155

Very strong NHO hydrogen bond in the complex of 3-oxo-azabicyclo[2.2.2]octane with pentachlorophenol
I. Majerz, Z. Malarski and T. Lis (Wroclaw, Poland) 161

The crystal structure of a many-fold connected complex of lanthanum in $Cs_3La(N_3)_6$
F.A. Mautner, H. Krischner, H.P. Fritzer and Ch. Kratky (Graz, Austria) 169

Synthesis and structural and conformational study of some esters derived from 3,7-dimethyl-3,7-diazabicyclo[3.3.1]-nonan-9-ol
M.L. Izquierdo, B. Rico, E. Galvez and J.J. Vaquero (Madrid, Spain) 175

Hydrogen bonding. Part 28. NMR study of β-CH to ^{14}N coupling as a function of hydration of tetraethylammonium halides
K.M. Harmon, T.E. Nelson and M.S. Janos (Rochester, MI, U.S.A.) 185

Hydrogen bonding. Part 29. Thermodynamics of dissociation and stoichiometric study of the lower hydrates of tetraethylammonium and tetrapropylammonium chlorides
K.M. Harmon, P.L. Toccalino and M.S. Janos (Rochester, MI, U.S.A.) 193

^{13}C- and ^1H-NMR spectra of 2-pyridone derivatives
D.G. de Kowalewski, R.H. Contreras and C. de los Santos (Buenos Aires, Argentina) 201

Conformational behavior of poly(β-aspartate) with n-alkyl side chains in the solid state as studied by ^{13}C-CP/MAS-NMR spectroscopy
M. Okabe, T. Yamanobe, T. Komoto, J. Watanabe, I. Ando and I. Uematsu (Tokyo, Japan) 213
^{35}Cl nuclear quadrupole resonance spectra of paradichlorobenzene as a guest molecule in clathrates formed by the Werner complexes $M^{(II)}(L_4)X_2$
P. Li and E.A.C. Lucken (Geneva, Switzerland) 221
Nuclear quadrupole resonance of ^{63}Cu and ^{65}Cu in complexes of Cu(I) halides with alkyl pyridines
A. Habiyakare and E.A.C. Lucken (Geneva, Switzerland) 231
ESR studies on the product obtained by the reaction between 2,2-diphenyl-1-picrylhydrazil and the surface of lead dioxide
S. Hasegawa, K. Yasuda and T. Hasegawa (Tokyo, Japan), T. Yamahuchi and K. Tanabe (Sapporo, Japan) 239
Molecular structure and conformation of 3-methyl-2-butanone: a gas electron diffraction investigation combined with ab initio calculation and vibrational spectroscopy
T. Sakurai, M. Ishiyama, H. Takeuchi, K. Takeshita, K. Fukushi and S. Konaka (Sapporo, Japan) 245
The molecular structure of xanthone as studied by gas-phase electron diffraction
K. Iijima, T. Misu, S. Ohnishi and S. Onuma (Shizuoka, Japan) 263
Conformation and molecular structure of pentanedinitrile (1,3-dicyanopropane) using gas-phase electron diffraction
P.J. Stavnebrekk (Dragvoll, Norway) 271
Non-bonding potentials for the atom···atom interactions F···C≡, F···N≡, ≡C···C≡, ≡C···N≡ and ≡N···≡ as derived from conformational data using molecular mechanics calculations
P.J. Stavnebrekk and R. Stølevik (Dragvoll, Norway) 279
Easily polarizable proton transfer hydrogen bonds and (OHO)–complex formation between tyrosine and tetrabutylammonium tyrosinate
P.P. Rastogi (München, F.R.G.) 293
Conformational analysis of vitamin D_3 derivatives by molecular mechanics. Part II. 1α, 25-Dihydroxyvitamin D_3 and analogues
R.A. Mosquera, M.A. Rios, C.A. Tovar and M. Maestro (Galicia, Spain) 297

Short Communications
Molecular structure of *trans*-methylchlorovinyl sulphone: a molecular orbital constrained electron diffraction reinvestigation. Evidence for intramolecular hydrogen bonding
E. Vajda (Budapest, Hungary), P. Friedman (Brooklyn, NY, U.S.A.), I. Hargittai (Budapest, Hungary), D. Hnyk (Řež, Czechoslovakia), L. Schäfer and K. Siam (Fayetteville, AR, U.S.A.) 309
Infrared spectroscopic and conformational studies of di- and tri-substituted ureas containing an *o*-hydroxyphenyl group
B. Galabov, V. Kalcheva and B. Hadjieva (Sofia, Bulgaria) 317

Book reviews 321
Announcement 327
Erratum 328
Author index 329
Subject index 331